

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,81

51949-1


Wholesale Price List

O. H. Perry Nursery Co.

Box 545

McMINNVILLE, TENNESSEE

TO



WHOLESALE PRICE LIST

NATIVE AZALEAS

AZALEA ARBORESCENS. White.
AZALEA BAKERI. Red or Crimson.
AZALEA CAENDULACEA. Flame.
AZALEA CANESCENS. Slightly Pinkish.
AZALEA CUMBERLANDENSES. Flaming Red.
AZALEA FASTIGIFOLIA. Orange Tinged.
AZALEA NUDIFLORA. Pinxterbloom.
AZALEA VICOSA. White or Pinkish.

	Per 10	Per 100	Per 1000
6 to 12 inch liners	\$1.00	\$ 6.50	\$ 50.00
6 to 12 inch br. & bud. 1.50		10.00	75.00
12 to 18 inch br. & bud. 2.00		15.00	100.00
18 to 24 inch br. & bud. 2.50		20.00	150.00
2 to 3 feet br. & bud. 4.00		35.00	300.00

NATIVE EVERGREENS

ILEX OPACA. American Holly.
JUNIPERUS VIRGINIANA. Red Cedar.
KALMIA LATIFOLIA. Mountain Laurel.
RHODODENDRON MAXIMUM. Rosebay Rhododendron.
TSUGA CANADENSIS. Canada Hemlock.

	Per 10	Per 100	Per 1000
4 to 6 inch25	2.00	15.00
6 to 12 inch50	2.50	20.00
12 to 18 inch	1.00	5.00	40.00
18 to 24 inch	2.50	10.00	75.00

NATIVE VINES

LONICERA HALLIANA. Halls Honeysuckle.
LONICERA SEMPERVIRENS. Scarlet Trumpet.
VINCA MINOR. Common Myrtle Vine.

	Per 10	Per 100	Per 1000
Small liners25	1.00	8.00
Medium liners50	2.00	15.00
Medium Clumps	1.00	3.00	25.00
Heavy Clumps	2.00	6.00	50.00

NATIVE TREE SEEDLINGS

ACER SACCHARUM. Sugar Maple.
CORNUS FLORIDA. White Fl. Dogwood.
CERCIS CANADENSIS. Red Bud.
FAGUS AMERICANA. American Beech.
FRAXINUS AMERICANA. Ash.
LIRIODENDRON TULIPIFERA. Tulip Tree.

	Per 10	Per 100	Per 1000
6 to 12 inch.....	.25	1.00	8.00
12 to 18 inch.....	.50	2.00	15.00
18 to 24 inch.....	1.00	2.50	20.00
2 to 3 feet.....	2.00	4.00	30.00

NATIVE FLOWERING SHRUBS

ARONIA. Chokeberry.
COMPTONIA. Sweet Fern.
HYPERICUM AUREUM. Golden.
SPIREA CALLOSA ROSEA. Pink.
SYMPHORICARPUS VULGARIS. Coralberry.

	Per 10	Per 100	Per 1000
12 to 18 inch.....	.50	2.50	20.00
18 to 24 inch.....	1.00	4.00	35.00

HEAVY TREES FOR LANDSCAPING

CERCIS CANADENSIS. Red Bud.
CORNUS FLORIDA. Dogwood.
LIQUIDAMBER. Sweet Gum.
LIRIODENDRON TULIPIFERA. Tulip Tree.

	Each	Per 10	Per 100
6 to 8 feet branched	1.00	7.50	60.00

HEAVY SHRUBS FOR LANDSCAPING

BENZOIN AESTIVALIS. Spice Bush.
CALYCANTHUS FLORIDUS. Sweet Shrub.
HYDRANGEA ARBORESCENS. Smooth Hydrangea.
HYPERICUM DENSIFLORUM. St. Johnswort.
SPIREA CALLOSA ROSEA. Pink.

	Each	Per 10	Per 100
3 to 4 feet good spread	.75	6.00	40.00

HEAVY EVERGREENS FOR LANDSCAPING

ILEX OPPACA. American Holly.

JUNIPERUS VIRGINIANA. Red Cedar.

KALMIA LATIFOLIA. Mt. Laurel.

RHODODENDRON MAXIMUM. Rosebay Rhododendron

TSUGA CANADENSIS. Hemlock.

	Each	Per 10	Per 100
3 to 4 feet good spread	1.25	10.00	85.00

In this list we are offering only native collected stock. We have expert collectors to dig this stock and it is cared for and not allowed to dry out or freeze. We have handled this native stock for many years and with success.

In this list you will find that we have grouped several items together at one price, this will make it easier for you to make your selection. We can make shipment anytime when weather will permit but we advise you to place your order well ahead of shipping date so we can have plenty of time to have your order ready at the right time. Every order will be packed with moss and kept damp at all times.

TERMS: Cash with order. If you wish to buy on time write us and we will be glad to extend you credit when reference is furnished.

We guarantee our stock to be true to name.

All claims must be made within 10 days.

Shipments become the property of the purchaser when received by transportation company.

REFERENCE: Dun & Bradstreet; City Bank & Trust Co., McMinnville, Tenn.; Any business house in McMinnville, Tenn. Trade Reference on request.

O. H. PERRY NURSERY CO.

Box 545

McMinnville, Tennessee

LIBRARY
RECEIVED

8 1949



ture



Flame Azalea
AZALEA CALENDULACEA


O. H. PERRY NURSERY CO.
McMinnville, Tenn.

Post - Card

PLACE
ONE-CENT
STAMP
HERE

AZALEA BAKERI. Bakers Azalea

Is defined as follows.



Shrub, 1-3 m. tall, with irregularly whorled branches, or tree-like. Young twigs light green, puberulent and sparingly strigose. Winter buds conical, 8-11 mm. long, yellowish; scales 15 or less, glabrous, ciliate, their tips mucronate or the lower prolonged into awns. Leaves elliptic in type, varying from narrowly to broadly so, usually acute and prominently gland-tipped; blades 2-8 cm. long, 0.5-3.25 cm. wide, thin, edges ciliate; above dark green and glabrous to light green and pubescent, the midrib always more or less strigose; beneath much lighter, glabrous, often shiny, or pubescent, the midrib always pubescent and strigose, veins strigillose; petioles 2-5 mm. long, pubescent. Flowers expanding from June 1st to August, after the leaves unfold, in usually 3-5 (7-9) flowered clusters, non-fragrant; bud-scales persisting. Pedicels 2-6 mm. long viscid, villose. Calyx-lobes of unequal length, elliptic-acuminate to deltoid-ovate, setose, ciliate. Corolla-tube 18-23 mm. long, strongly ridged, viscid, externally glandular-pubescent, internally pubescent; limb gradually expanding; lobes: upper ovate, lateral and lower elliptic, acute; all glandular-pubescent along midrib posteriorly; upper lobe 18-21 mm. long, 15-22 mm. wide; laterals 18-21 mm. long, 6-15 mm. wide; lower 21-25 mm. long, 10-15 mm. wide; corolla, from chrome-yellow tinged with orange-red to deep scarlet-orange tinged with ochraceous, the posterior midrib section in the darker flowers much lighter than the anterior section, the upper lobe usually of a much lighter shade, but not prominently blotched. Stamens: filaments more than twice as long as the corolla-tube, ascending, the exserted portion carmine and glabrous, that within the tube lighter and pubescent; anthers about 2 mm. long, ochraceous Style carmine, its base pubescent. Capsule about 15 mm. long, strigose with appressed, gland-tipped hairs.

Note.—The flowering branches in this species are inclined to be flat-spreading and profusely flowering. The flowers are normally larger than *A. calendulacea*, often measuring 5-6 cm. wide. As the flower-buds expand, the light color of the posterior side of the midribs is prominent, particularly in the light color-form. During the study of this species a number of plants were found in the light color-form bearing flowers with 5-6 or 7 corolla-lobes and an equal number of stamens, but with only 5 calyx-lobes. The leaves of these specimens were inclined more to the ovate type.

